



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((scan* <and> dimension* <and> value* <and> array)<in>metadata)"

☒ e-mail

Your search matched 26 of 1203811 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((scan* <and> dimension* <and> value* <and> array)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

**1. On the dynamics of two-dimensional array beam scanning via perimeter coupled oscillator arrays**

Pogorzelski, R.J.;

Antennas and Propagation, IEEE Transactions on

Volume 49, Issue 2, Feb 2001 Page(s):234 - 242

Digital Object Identifier 10.1109/8.914289

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(256 KB) IEEE JNL**2. Computer-based techniques for the optimal extraction of medical data from paper records**

Bhullar, H.K.; Fothergill, J.C.; de Bono, D.P.;

Medical Imaging: Image Processing and Analysis, IEE Colloquium on
3 Mar 1992 Page(s):4/1 - 412[AbstractPlus](#) | Full Text: [PDF](#)(520 KB) IEEE CNF**3. Multimode phased array element for wide scan angle impedance matching**

Tang, R.; Nam San Wong;

Proceedings of the IEEE

Volume 56, Issue 11, Nov. 1968 Page(s):1951 - 1959

[AbstractPlus](#) | Full Text: [PDF](#)(866 KB) IEEE JNL**4. Low-voltage, large-scan angle MEMS analog micromirror arrays with hybrid comb-drive actuators**

Dooyoung Hah; Huang, S.T.-Y.; Jui-Che Tsai; Toshiyoshi, H.; Wu, M.C.;

Microelectromechanical Systems, Journal of

Volume 13, Issue 2, April 2004 Page(s):279 - 289

Digital Object Identifier 10.1109/JMEMS.2004.825314

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(816 KB) IEEE JNL**5. A cylindrical-section ultrasound phased-array applicator for hyperthermia**

Ebbini, E.S.; Umemura, S.I.; Ibbini, M.; Cain, C.A.;

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on

Volume 35, Issue 5, Sept. 1988 Page(s):561 - 572

Digital Object Identifier 10.1109/58.8034

[AbstractPlus](#) | Full Text: [PDF](#)(1116 KB) IEEE JNL**6. Floquet-based FDTD analysis of two-dimensional phased array antennas**

Ren, J.; Gandhi, O.P.; Walker, L.R.; Frschilla, J.; Boerman, C.R.;
Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wireless Components Letters]
Volume 4, Issue 4, April 1994 Page(s):109 - 111
Digital Object Identifier 10.1109/75.282575
[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEEE JNL

- ☐ **7. Design method for antenna arrays employing ferrite printed transmission shifters**
Brown, A.D.; Kempel, L.C.; Volakis, J.L.;
Microwaves, Antennas and Propagation, IEE Proceedings -
Volume 149, Issue 1, Feb. 2002 Page(s):33 - 40
Digital Object Identifier 10.1049/ip-map:20010146
[AbstractPlus](#) | Full Text: [PDF](#)(888 KB) IEEE JNL

- ☐ **8. Image-guided phased array system for ultrasound thermotherapy**
VanBaren, P.; Simon, C.; Seip, R.; Solf, T.; Cain, C.A.; Ebbini, E.S.;
Ultrasonics Symposium, 1996. Proceedings., 1996 IEEE
Volume 2, 3-6 Nov. 1996 Page(s):1269 - 1272 vol.2
Digital Object Identifier 10.1109/ULTSYM.1996.584226
[AbstractPlus](#) | Full Text: [PDF](#)(496 KB) IEEE CNF

- ☐ **9. A new model for two dimensional light modulated microwave imaging array**
Zhang, S.Q.; Edwards, D.J.;
Antennas and Propagation, 1993., Eighth International Conference on
1993 Page(s):689 - 693 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF

- ☐ **10. Two-dimensional phase aberration correction using an ultrasonic 1.75D : on breast microcalcifications**
Fernandez, A.T.; Trahey, G.E.;
Ultrasonics, 2003 IEEE Symposium on
Volume 1, 5-8 Oct. 2003 Page(s):348 - 353 Vol.1
Digital Object Identifier 10.1109/ULTSYM.2003.1293420
[AbstractPlus](#) | Full Text: [PDF](#)(523 KB) IEEE CNF

- ☐ **11. Design and testing of a large airborne phased array**
Cooke, W.P.; Harris, J.M.;
Antennas and Propagation Society International Symposium, 1989. AP-S. Dig.
26-30 June 1989 Page(s):1208 - 1211 vol.3
Digital Object Identifier 10.1109/APS.1989.134926
[AbstractPlus](#) | Full Text: [PDF](#)(284 KB) IEEE CNF

- ☐ **12. Analysis of geometrical distortion and statistical variance in length, area, linearly scanned 3-D ultrasound image**
Cardinal, H.N.; Gill, J.D.; Fenster, A.;
Medical Imaging, IEEE Transactions on
Volume 19, Issue 6, June 2000 Page(s):632 - 651
Digital Object Identifier 10.1109/42.870670
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(536 KB) IEEE JNL

- ☐ **13. Video coding using 3 dimensional DCT and dynamic code selection**
Bauer, M.; Sayood, K.;
Data Compression Conference, 1995. DCC '95. Proceedings
28-30 March 1995 Page(s):451
Digital Object Identifier 10.1109/DCC.1995.515561
[AbstractPlus](#) | Full Text: [PDF](#)(52 KB) IEEE CNF

- ☐ **14. An automated approach for clinical intravascular ultrasonic palpation**
Doyley, M.M.; de Korte, C.L.; Mastik, F.; Carlier, S.G.; van der Steen, A.F.W.; Bom, N.;
Ultrasonics Symposium, 2000 IEEE
Volume 2, Oct 2000 Page(s):1779 - 1782 vol.2
Digital Object Identifier 10.1109/ULTSYM.2000.921667
[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE CNF
- ☐ **15. Experimental spatial sampling study of the real-time ultrasonic pulse-echo imaging technique**
Xiangtao Yin; Morris, S.A.; O'Brien, W.D.;
Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on
Volume 50, Issue 4, April 2003 Page(s):428 - 440
Digital Object Identifier 10.1109/TUFFC.2003.1197966
[AbstractPlus](#) | Full Text: [PDF](#)(955 KB) IEEE JNL
- ☐ **16. An acoustooptic-phased-array antenna beamformer for multiple simultaneous generation**
Riza, N.A.;
Photonics Technology Letters, IEEE
Volume 4, Issue 7, July 1992 Page(s):807 - 809
Digital Object Identifier 10.1109/68.145279
[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE JNL
- ☐ **17. Real-time three dimensional Intracardiac echocardiography for guidance of interventional procedures**
Lee, W.; Light, E.D.; Idriss, S.F.; Dixon-Tulloch, E.; Wolf, P.D.; Smith, S.W.;
Ultrasonics Symposium, 2001 IEEE
Volume 2, 7-10 Oct. 2001 Page(s):1307 - 1310 vol.2
Digital Object Identifier 10.1109/ULTSYM.2001.991960
[AbstractPlus](#) | Full Text: [PDF](#)(461 KB) IEEE CNF
- ☐ **18. A comparison of flow tracking techniques: spatial quadrature with phase demodulation versus speckle tracking**
Anderson, M.E.; Bohs, L.N.; Gebhart, S.C.;
Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE
Volume 2, 17-20 Oct. 1999 Page(s):1471 - 1475 vol.2
Digital Object Identifier 10.1109/ULTSYM.1999.849275
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF
- ☐ **19. Fabrication and characterization of a nanowire/polymer-based nanocomposite prototype thermoelectric device**
Abramson, A.R.; Woo Chul Kim; Huxtable, S.T.; Haoquan Yan; Yiyang Wu; Ma Chang-Lin Tien; Peidong Yang;
Microelectromechanical Systems, Journal of
Volume 13, Issue 3, June 2004 Page(s):505 - 513
Digital Object Identifier 10.1109/JMEMS.2004.828742
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(528 KB) IEEE JNL
- ☐ **20. Effect of changing the transmit aperture on the spatial coherence of backscattered nonlinearly generated second harmonic**
Fedewa, R.J.; Wallace, K.D.; Holland, M.R.; Jago, J.R.; Ng, G.C.; Rielly, M.R.; Miller, J.G.;
Ultrasonics Symposium, 2002. Proceedings. 2002 IEEE
Volume 2, 8-11 Oct. 2002 Page(s):1665 - 1668 vol.2
Digital Object Identifier 10.1109/ULTSYM.2002.1192615
[AbstractPlus](#) | Full Text: [PDF](#)(314 KB) IEEE CNF
- 21. Analysis of ESPAR antennas in indoor multi-path environments for wireless**

- ☐ **network systems**
Ando, A.;
Wireless Communications and Networking Conference, 2002. WCNC2002. 20
Volume 2, 17-21 March 2002 Page(s):586 - 591 vol.2
Digital Object Identifier 10.1109/WCNC.2002.993333
[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE CNF
- ☐ **22. A new VLSI architecture without global broadcast for 2-D digital filters**
Lan-Da Van; Chih-Chun Tang; Shing Tenqchen; Wu-Shing Feng;
Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEE
Symposium on
Volume 1, 28-31 May 2000 Page(s):547 - 550 vol.1
Digital Object Identifier 10.1109/ISCAS.2000.857153
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE CNF
- ☐ **23. Negative refraction, growing evanescent waves, and sub-diffraction imag
transmission-line metamaterials**
Grbic, A.; Eleftheriades, G.V.;
Microwave Theory and Techniques, IEEE Transactions on
Volume 51, Issue 12, Dec. 2003 Page(s):2297 - 2305
Digital Object Identifier 10.1109/TMTT.2003.820162
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(761 KB) IEEE J&L
- ☐ **24. A novel frequency agile beam scanning reconfigurable antenna**
DeLuccia, C.S.; Werner, D.H.; Werner, P.L.; Fernandez Pantoja, M.; Bretones
Antennas and Propagation Society Symposium, 2004. IEEE
Volume 2, 20-25 June 2004 Page(s):1839 - 1842 Vol.2
Digital Object Identifier 10.1109/APS.2004.1330558
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF
- ☐ **25. Performance of concentric annular patches as a dual frequency band mic
element**
Nurie, N.S.; Langley, R.J.;
Antennas and Propagation, 1989. ICAP 89., Sixth International Conference on
No.301)
4-7 Apr 1989 Page(s):144 - 148 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(248 KB) IEEE CNF



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Thu, 4 Aug 2005, 1:58:39 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((scan* <and> dimension* <and> value* <and> array)<in>me...

indexed by
Inspection

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE --